Subject Index for Volume XXXII of Materials Evaluation

Acoustic Emission Detection of Flaws in Butt-Welded Plates, *William F. Hartman*, No. 12, p. 259

Acoustic Emission Monitoring—Establishing, for Safety and Reliability in Energy Production, Transportation and Manufacturing, *William F. Hartman*, No. 8, p. 20A

Acoustic Emission, Spectrum Analysis of, in A533-B Steel, *L. J. Graham and G. A. Alers*, No. 2, p. 31

Acoustic Emission Testing of Wire Rope, *D. O. Harris and H. L. Dunegan*, No. 1, p. 1

Adherence in Porcelain Enamel—Ultrasonic Determination of, *D. E. Scherperell, N. F. Fiore and R. A. Kettler*, No. 11, p. 235

Adhesive Bond Strength in Honeycomb Panels—Nondestructive Measurement of. *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Aero Gas Turbine Engines—High Energy Radiography: A New Technique in the Development of Efficiency and Integrity in, *D. A. W. Pullen*, No. 2, p. 25

Aircraft Overhaul Cleaning Requirements and Their Effect on the Fluorescent Penetrant Inspection Process, *Richard T. Fricker*, No. 12, p. 262

Aircraft Surfaces, Inspection of, Using Two Single-Coil Eddy Current Techniques, *D. J. Lang*, No. 4, p. 87

Aluminum Alloys—Measurement of Surface and Near-Surface Stress in, Using Ultrasonic Raleigh Waves, *B. G. Martin*, No. 11, p. 229

Aluminum and Steel, Transmitted and Scattered X Rays for, 50 to 300 kVp, *E. Dale Trout, John P. Kelley and Vaughn L. Larson*, No. 8, p. 163

Aluminide Coatings, Diffusion—Nondestructive Characterization of, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Aluminum, Plated, Stainless Steel Joint—Nondestructive Testing of, *J. W. Dini, H. R. Johnson and G. N. Beeler*, No. 6, p. 124

Application of Electronic Image Analyzer to Dimensional Measurements from Neutron Radiographs, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

ASME Code, Ultrahigh Pressures and, *Alfred R. Bobrowsky*, No. 7, p. 24A

ASNT—What It Is—How It Grew—What It Does, *Ralph E. Turner*, No. 11, p. 15A

Automatic Nondestructive Testing System for Thin Tubes, *G. Boulanger, J. P. Dufayet, A. Samoel, B. Spriet and A. Stossel*, No. 1, p. 18

Betatron Radiography—Photon Activation of Materials Subjected to, *Vincent Z. Kuttemperoor*, No. 7, p. 153

Bolt, High-Strength, Preloading—Ultrasonic Device to Measure, *Howard J. McFaul*, No. 11, p. 244

Bond Strength, Adhesive, in Honeycomb Panels—Nondestructure Measurement of, *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Butt-Welded Plates—Acoustic Emission Detection of Flaws in, *William F. Hartman*, No. 12, p. 259

Capsule Heat Transfer Gaps, Measurement of, Using Neutron Radiography, *Lawrence A. Thaler*, No. 3, p. 57

Cast HK-40 Tubes—Ultrasonic Inspection of, for Creep Fissures, *Raymond R. Dalton*, No. 12, p. 264

Characterization, Nondestructive, of Diffusion Aluminide Coatings, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Charcoal Filters, Residual Life of—Survey of Test Methods for, *James A. Baker and Edward J. Poziomek*, No. 5, p. 35A

Coating Measurement Method, Nondestructive Emissive, *P. L. Blue*, No. 5, p. 100

Coatings, Diffusion Aluminide—Nondestructive Characterization of, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Cold Work, Nondestructive Measurements of, in Type 316 Stainless Steel, *C. J. Renken, Karl J. Reimann and Harold Berger*, No. 6, p. 109

Comparison of Three Types of Eddy Current Systems, by *F. D. Lassahn*, No. 9, p. 187

Computer Determines NDT Monitoring Intervals for Corrosive Environments, *R. P. Buhrow*, No. 6, p. 19A

Computerized Ultrasonic Inspection of Reactor Vessels, *C. G. Honeycutt, F. J. Sattler, L. T. Williams and E. G. Griffith*, No. 9, p. 181

Concrete, Ultrasonic Attenuation Measurements of—Influence of the Radiation Pattern on, *Harold Rothig*, No. 4, p. 69

Creep Fissures—Ultrasonic Inspection of Cast HK-40 Tubes for, *Raymond R. Dalton*, No. 12, p. 264

Defect Characterization—Time Domain Analysis of Ultrasonic Pulse Diffraction for, *G. S. Mills*, No. 12, p. 256

Detection of Fatigue Cracks by Nondestructive Test Methods. *Ward D. Rummel, Paul H. Todd, Jr., Richard A. Rathke and W. L. Castner*, No. 10, p. 205

Detection of Flaws, by Acoustic Emission, in Butt-Welded Plates, *William F. Hartman*, No. 12, p. 259

Detection of Flaws on Plates by Schlieren Visualization, *Louis R. Dragonette and Werner G. Neubauer*, No. 10, p. 218

Diffractographic Applications to Nondestructive Testing, *T. R. Pryor*, No. 7, p. 142

Eddy Current Evaluation of Nuclear Control Rods, *C. V. Dodd, J. H. Smith and W. A. Simpson*, No. 5, p. 93

Eddy Current Inspection, Probe-Type—An Investigation of, of Hot Steel Rounds, *James F. Jackson*, No. 8, p. 175

Eddy Current Systems—A Comparison of Three Types of, *F. D. Lassahn*, No. 9, p. 187

Eddy Current Techniques—Inspection of Aircraft Surfaces Using Two Single-Coil, *D. J. Lang*, No. 4, p. 87

Electronic Image Analyzer—Application of, to Dimensional Measurements from Neutron Radiographs, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

Emissive Coating Measurement Method, Nondestructive, *P. L. Blue*, No. 5, p. 100

Establishing Acoustic Emission Monitoring for Safety and Reliability in Energy Production. Transportation and Manufacturing, *William F. Hartman*, No. 8, p. 20A

Establishing Liquid Penetrant Dwell Modes, *A. G. Sherwin*, No. 3, p. 63

Fatigue Cracks—Detection of, by Nondestructive Test Methods. *Ward D. Rummel, Paul H. Todd, Jr., Richard A. Rathke and W. L. Castner*, No. 10, p. 205

Field Application of Dual Sensitive Penetrants, *Richard T. Fricker*, No. 9, p. 201

Film and Solution—Performance Characteristics of Radiographic Systems, *E. O. Lomerson and D. N. Tousignant*, No. 10, p. 213

Flaws in Butt-Welded Plates—Acoustic Emission Detection of, *William F. Hartman*, No. 12, p. 259

Flaws on Plates, Detection of. by Schlieren Visualization. *Louis R. Dragonette and Werner G. Neubauer*, No. 10, p. 218

Heat Transfer Gaps, Capsule, Measurement of. Using Neutron Radiography, *Lawrence A. Thaler*, No. 3, p. 57

High Energy Radiography: A New Technique in the Development of Efficiency and Integrity in Aero Gas Turbine Engines, *D. A. W. Pullen*, No. 2, p. 25

Holographic Interferometry, Optical—Thermal Stress Studies Using, *W. J. Harris and D. C. Woods*, No. 3, p. 50

Honeycomb Panels—Nondestructive Measurement of Adhesive Bond Strength in, *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Image Analyzer, Electronic-Application of, to Dimensional Measurements from Neutron Radiographs, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

Infrared Pyrometer for Temperature Monitoring of Train Wheels and Jet Engine Rotors, *Pieter R. Wiederhold*, No. 11. p. 239

Infrared—Recent Developments in the Use of, for Nondestructive Tire Testing, *Steven Bobo*, No. 7, p. 147

Influence of the Radiation Pattern on Ultrasonic Attenuation Measurements of Concrete, *Harold Rothig*, No. 4, p. 69

Inspection of Aircraft Surfaces Using Two Single-Coil Eddy Current Techniques, *D. J. Lang*, No. 4, p. 87

Interferometry, Optical Holographic—Thermal Stress Studies Using, *W. J. Harris and D. C. Woods*, No. 3, p. 50

Interrelationship of Quality Control, Reliability and Nondestructive Testing, *Edward M. Mielnik*, No. 4, p. 19A

An Investigation of Probe-Type Eddy Current Inspection of Hot Steel Rounds, *James F. Jackson*, No. 8, p. 175

Jet Engine Rotors and Train Wheels—Infrared Pyrometer for Temperature Monitoring of, *Pieter R. Wiederhold*, No. 11, p. 239

Laminography, Radiographic, *F. A. Hasenkamp*, No. 8, p. 169

Subject Index for Volume XXXII of Materials Evaluation

Acoustic Emission Detection of Flaws in Butt-Welded Plates, *William F. Hartman*, No. 12, p. 259

Acoustic Emission Monitoring—Establishing, for Safety and Reliability in Energy Production, Transportation and Manufacturing, *William F. Hartman*, No. 8, p. 20A

Acoustic Emission, Spectrum Analysis of, in A533-B Steel, *L. J. Graham and G. A. Alers*, No. 2, p. 31

Acoustic Emission Testing of Wire Rope, *D. O. Harris and H. L. Dunegan*, No. 1, p. 1

Adherence in Porcelain Enamel—Ultrasonic Determination of, *D. E. Scherperell, N. F. Fiore and R. A. Kettler*, No. 11, p. 235

Adhesive Bond Strength in Honeycomb Panels—Nondestructive Measurement of. *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Aero Gas Turbine Engines—High Energy Radiography: A New Technique in the Development of Efficiency and Integrity in, *D. A. W. Pullen*, No. 2, p. 25

Aircraft Overhaul Cleaning Requirements and Their Effect on the Fluorescent Penetrant Inspection Process, *Richard T. Fricker*, No. 12, p. 262

Aircraft Surfaces, Inspection of, Using Two Single-Coil Eddy Current Techniques, *D. J. Lang*, No. 4, p. 87

Aluminum Alloys—Measurement of Surface and Near-Surface Stress in, Using Ultrasonic Raleigh Waves, *B. G. Martin*, No. 11, p. 229

Aluminum and Steel, Transmitted and Scattered X Rays for, 50 to 300 kVp, *E. Dale Trout, John P. Kelley and Vaughn L. Larson*, No. 8, p. 163

Aluminide Coatings, Diffusion—Nondestructive Characterization of, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Aluminum, Plated, Stainless Steel Joint—Nondestructive Testing of, *J. W. Dini, H. R. Johnson and G. N. Beeler*, No. 6, p. 124

Application of Electronic Image Analyzer to Dimensional Measurements from Neutron Radiographs, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

ASME Code, Ultrahigh Pressures and, *Alfred R. Bobrowsky*, No. 7, p. 24A

ASNT—What It Is—How It Grew—What It Does, *Ralph E. Turner*, No. 11, p. 15A

Automatic Nondestructive Testing System for Thin Tubes, *G. Boulanger, J. P. Dufayet, A. Samoel, B. Spriet and A. Stossel*, No. 1, p. 18

Betatron Radiography—Photon Activation of Materials Subjected to, *Vincent Z. Kuttemperoor*, No. 7, p. 153

Bolt, High-Strength, Preloading—Ultrasonic Device to Measure, *Howard J. McFaul*, No. 11, p. 244

Bond Strength, Adhesive, in Honeycomb Panels—Nondestructure Measurement of, *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Butt-Welded Plates—Acoustic Emission Detection of Flaws in, *William F. Hartman*, No. 12, p. 259

Capsule Heat Transfer Gaps, Measurement of, Using Neutron Radiography, *Lawrence A. Thaler*, No. 3, p. 57

Cast HK-40 Tubes—Ultrasonic Inspection of, for Creep Fissures, *Raymond R. Dalton*, No. 12, p. 264

Characterization, Nondestructive, of Diffusion Aluminide Coatings, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Charcoal Filters, Residual Life of—Survey of Test Methods for, *James A. Baker and Edward J. Poziomek*, No. 5, p. 35A

Coating Measurement Method, Nondestructive Emissive, *P. L. Blue*, No. 5, p. 100

Coatings, Diffusion Aluminide—Nondestructive Characterization of, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Cold Work, Nondestructive Measurements of, in Type 316 Stainless Steel, *C. J. Renken, Karl J. Reimann and Harold Berger*, No. 6, p. 109

Comparison of Three Types of Eddy Current Systems, by *F. D. Lassahn*, No. 9, p. 187

Computer Determines NDT Monitoring Intervals for Corrosive Environments, *R. P. Buhrow*, No. 6, p. 19A

Computerized Ultrasonic Inspection of Reactor Vessels, *C. G. Honeycutt, F. J. Sattler, L. T. Williams and E. G. Griffith*, No. 9, p. 181

Concrete, Ultrasonic Attenuation Measurements of—Influence of the Radiation Pattern on, *Harold Rothig*, No. 4, p. 69

Creep Fissures—Ultrasonic Inspection of Cast HK-40 Tubes for, *Raymond R. Dalton*, No. 12, p. 264

Defect Characterization—Time Domain Analysis of Ultrasonic Pulse Diffraction for, *G. S. Mills*, No. 12, p. 256

Detection of Fatigue Cracks by Nondestructive Test Methods. *Ward D. Rummel, Paul H. Todd, Jr., Richard A. Rathke and W. L. Castner*, No. 10, p. 205

Detection of Flaws, by Acoustic Emission, in Butt-Welded Plates, *William F. Hartman*, No. 12, p. 259

Detection of Flaws on Plates by Schlieren Visualization, *Louis R. Dragonette and Werner G. Neubauer*, No. 10, p. 218

Diffractographic Applications to Nondestructive Testing, *T. R. Pryor*, No. 7, p. 142

Eddy Current Evaluation of Nuclear Control Rods, *C. V. Dodd, J. H. Smith and W. A. Simpson*, No. 5, p. 93

Eddy Current Inspection, Probe-Type—An Investigation of, of Hot Steel Rounds, *James F. Jackson*, No. 8, p. 175

Eddy Current Systems—A Comparison of Three Types of, *F. D. Lassahn*, No. 9, p. 187

Eddy Current Techniques—Inspection of Aircraft Surfaces Using Two Single-Coil, *D. J. Lang*, No. 4, p. 87

Electronic Image Analyzer—Application of, to Dimensional Measurements from Neutron Radiographs, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

Emissive Coating Measurement Method, Nondestructive, *P. L. Blue*, No. 5, p. 100

Establishing Acoustic Emission Monitoring for Safety and Reliability in Energy Production. Transportation and Manufacturing, *William F. Hartman*, No. 8, p. 20A

Establishing Liquid Penetrant Dwell Modes, *A. G. Sherwin*, No. 3, p. 63

Fatigue Cracks—Detection of, by Nondestructive Test Methods. *Ward D. Rummel, Paul H. Todd, Jr., Richard A. Rathke and W. L. Castner*, No. 10, p. 205

Field Application of Dual Sensitive Penetrants, *Richard T. Fricker*, No. 9, p. 201

Film and Solution—Performance Characteristics of Radiographic Systems, *E. O. Lomerson and D. N. Tousignant*, No. 10, p. 213

Flaws in Butt-Welded Plates—Acoustic Emission Detection of, *William F. Hartman*, No. 12, p. 259

Flaws on Plates, Detection of. by Schlieren Visualization. *Louis R. Dragonette and Werner G. Neubauer*, No. 10, p. 218

Heat Transfer Gaps, Capsule, Measurement of. Using Neutron Radiography, *Lawrence A. Thaler*, No. 3, p. 57

High Energy Radiography: A New Technique in the Development of Efficiency and Integrity in Aero Gas Turbine Engines, *D. A. W. Pullen*, No. 2, p. 25

Holographic Interferometry, Optical—Thermal Stress Studies Using, *W. J. Harris and D. C. Woods*, No. 3, p. 50

Honeycomb Panels—Nondestructive Measurement of Adhesive Bond Strength in, *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Image Analyzer, Electronic-Application of, to Dimensional Measurements from Neutron Radiographs, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

Infrared Pyrometer for Temperature Monitoring of Train Wheels and Jet Engine Rotors, *Pieter R. Wiederhold*, No. 11. p. 239

Infrared—Recent Developments in the Use of, for Nondestructive Tire Testing, *Steven Bobo*, No. 7, p. 147

Influence of the Radiation Pattern on Ultrasonic Attenuation Measurements of Concrete, *Harold Rothig*, No. 4, p. 69

Inspection of Aircraft Surfaces Using Two Single-Coil Eddy Current Techniques, *D. J. Lang*, No. 4, p. 87

Interferometry, Optical Holographic—Thermal Stress Studies Using, *W. J. Harris and D. C. Woods*, No. 3, p. 50

Interrelationship of Quality Control, Reliability and Nondestructive Testing, *Edward M. Mielnik*, No. 4, p. 19A

An Investigation of Probe-Type Eddy Current Inspection of Hot Steel Rounds, *James F. Jackson*, No. 8, p. 175

Jet Engine Rotors and Train Wheels—Infrared Pyrometer for Temperature Monitoring of, *Pieter R. Wiederhold*, No. 11, p. 239

Laminography, Radiographic, *F. A. Hasenkamp*, No. 8, p. 169

Liquid Penetrant Dwell Modes, Establishing, *A. G. Sherwin*, No. 3, p. 63

Measurement of Capsule Heat Transfer Gaps Using Neutron Radiography, *Lawrence A. Thaler*, No. 3, p. 57

Measurement of Surface and Near-Surface Stress in Aluminum Alloys Using Ultrasonic Raleigh Waves, *B. G. Martin*, No. 11, p. 229

Measuring the Thickness of Thin Layers—Ultrasonic Signal-Processing Concepts for, *Joseph L. Rose and Paul A. Meyer*, No. 12, p. 249

Mechanical Processing—Quantitative Evaluation of the Effect of, on Penetrant Inspection, *J. F. Cook, R. J. Lord and R. J. Roehrs*, No. 7, p. 133

Multilayer Transparent Plastic Windows—Ultrasonic Thickness Measurement of, *Donald C. Hagemaier*, No. 6, p. 122

NDT Monitoring Intervals for Corrosive Environments—Computer Determines, *R. P. Buhrow*, No. 6, p. 19A

New Analytical Concepts in Ultrasonic Angle Beam Analysis, *Joseph L. Rose and Edward W. Deska*, No. 10, p. 223

New Dimensions in Engineering, *Alan G. Loofbourrow*, No. 12, p. 17A

A New Method of Ultrasonic Wall Thickness Measurement: The Predef System, *W. Kaule, K. E. Wetzlar and W. T. Owens*, No. 5, p. 103

Neutron Radiography—Measurement of Capsule Heat Transfer Gaps Using, *Lawrence A. Thaler*, No. 3, p. 57

Neutron Radiographs—Application of Electronic Image Analyzer to Dimensional Measurements from, *Alex Vary and Kenneth J. Bowles*, No. 1, p. 7

Nondestructive Characterization of Diffusion Aluminide Coatings, *Owen H. Kriege and Donald H. Boone*, No. 2, p. 38

Nondestructive Emissive Coating Measurement Method, *P. L. Blue*, No. 5, p. 100

Nondestructive Measurement of Adhesive Bond Strength in Honeycomb Panels, *D. O. Thompson, R. B. Thompson and G. A. Alers*, No. 4, p. 81

Nondestructive Measurements of Cold Work in Type 316 Stainless Steel, *C. J. Renken, Karl J. Reimann and Harold Berger*, No. 6, p. 109

Nondestructive Testing—Diffractographic Applications to, *T. R. Pryor*, No. 7, p. 142

Nondestrustive Testing, Interrelationship with Quality Control and Reliability, *Edward M. Mielnik*, No. 4, p. 19A

Nondestructive Testing of Space Systems During the Past Decade and One-Half, *Paul Dick*, No. 12, p. 23A

Nondestructive Testing of a Plated Aluminum Stainless Steel Joint, J. W. *Dini, H. R. Johnson and G. N. Beeler*, No. 6, p. 124

Nondestructive Testing System, Automatic, for Thin Tubes, *G. Boulanger, J. P. Dufayet, A. Samoel, B. Spriet and A. Stossel*, No. 1, p. 18

Nondestructive Test Methods—Detection of Fatigue Cracks by, *Ward D. Rummel, Paul H. Todd, Jr., Richard A. Rathke and W. L. Castner*, No. 10, p. 205

Nuclear Control Rods, Eddy Current Evaluation of, *C. V. Dodd, J. H. Smith and W. A. Simpson*, No. 5, p. 93

On-Board Ultrasonic Structural Surveillance, *F. E. Sugg and C. C. Kammerer*, No. 8, p. 157

Penetrant Dwell Modes, Liquid, Establishing, *A. G. Sherwin*, No. 3, p. 63

Penetrant Inspection, Effectiveness of—Quantitative Evaluation of the Effect of Mechanical Processing on, *J. F. Cook, R. J. Lord and R. J. Roehrs*, No. 7, p. 133

Penetrant Inspection Process, Fluorescent—Aircraft Overhaul Cleaning Requirements and Their Effect on, *Richard T. Fricker*, No. 12, p. 262

Penetrant Process, Inspection—Signal-to-Noise Ratio in, *J. R. Alburger*, No. 9, p. 193

Penetrants, Dual Sensitive, Field Application of, *Richard T. Fricker*, No. 9, p. 201

Performance Characteristics of Radiographic Systems—Film and Solution, *E. O. Lomerson and D. N. Tousignant*, No. 10, p. 213

Photon Activation of Materials Subjected to Betatron Radiography, *Vincent Z. Kuttemperoor*, No. 7, p. 153

Pickle Line Welds, Ultrasonic Inspection of, *F. J. Barchfeld, S. A. Brosky and C. N. Lee*, No. 6, p. 117

Pipe, Longitudinal Fusion Welds in—Ultrasonic Test System for, *W. C. Harmon and T. W. Judd*, No. 3, p. 45

Plastic Windows, Multilayer Transparent—Ultrasonic Thickness Measurement of, *Donald C. Hagemaier*, No. 6, p. 122

Porcelain Enamel—Ultrasonic Determination of the Adherence in, *D. E. Scherperell, N. F. Fiore and R. A. Kettler*, No. 11, p. 235

Predef System: A New Method of Ultrasonic Wall Thickness Measurement, *W. Kaule, K. E. Wetzlar and W. T. Owens*, No. 5, p. 103

Quality Control, Interrelationship with Reliability and Nondestructive Testing, *Edward M. Mielnik*, No. 4, p. 19A

Quantitative Evaluation of the Effect of Mechanical Processing on the Effectiveness of Penetrant Inspection, *J. F. Cook, R. J. Lord and R. J. Roehrs*, No. 7, p. 133

Radiation Pattern, Influence of, on Ultrasonic Attenuation Measurements of Concrete, *Harold Rothig*, No. 4, p. 69

Radiographic Laminography, *F. A. Hasenkamp*, No. 8, p. 169

Radiographic Systems—Performance Characteristics of, Film and Solution, *E. O. Lomerson and D. N. Tousignant*, No. 10, p. 213

Radiography, High Energy: A New Technique in the Development of Efficiency and Integrity in Aero Gas Turbine Engines, *D. A. W. Pullen*, No. 2, p. 25

Raleigh Waves, Ultrasonic—Measurement of Surface and Near-Surface Stress in Aluminum Alloys Using, *B. G. Martin*, No. 11, p. 229

Reactor Vessels—Computerized Ultrasonic Inspection of, *C. G. Honeycutt, F. J. Sattler, L. T. Williams and E. G. Griffith*, No. 9, p. 181

Recent Developments in the Use of Infrared for Nondestructive Tire Testing, *Steven Bobo*, No. 7, p. 147

Schlieren Visualization—Detection of Flaws on Plates by, *Louis R. Dragonette and Werner G. Neubauer*, No. 10, p. 218

Signal-Processing Concepts, Ultrasonic, for Measuring the Thickness of Thin Layers, *Joseph L. Rose and Paul A. Meyer*, No. 12, p. 249

Signal-to-Noise Ratio in the Inspection Penetrant Process, *J. R. Alburger*, No. 9, p. 193

Space Systems, Nondestructive Testing of, During the Past Decade and One-Half, Paul Dick, No. 12, p. 23A

Spectrum Analysis of Acoustic Emission in A533-B Steel, *L. J. Graham and G. A. Alers*, No. 2, p. 31

Stainless Steel Joint, Plated Aluminum—Nondestructive Testing of, *J. W. Dini, H. R. Johnson and G. N. Beeler*, No. 6, p. 124

Steel and Aluminum, Transmitted and Scattered X Rays for, 50 to 300 kVp, *E. Dale Trout, John P. Kelley and Vaughn L. Larson*, No. 8, p. 163

Steel, A533-B—Spectrum Analysis of Acoustic Emission in, *L. J. Graham and G. A. Alers*, No. 2, p. 31

Steel, Hot, Rounds—An Investigation of Probe-Type Eddy Current Inspection of, *James F. Jackson*, No. 8, p. 175

Steel Tubular Transmission Structures, Welds in—Ultrasonic Examination of, *Frank Herring, Riley Looper and Jerome Nelson*, No. 4, p. 75

Steel, Type 316 Stainless—Nondestructive Measurements of Cold Work in, *C. J. Renken, Karl J. Reimann and Harold Berger*, No. 6, p. 109

Structural Surveillance, Ultrasonic, On-Board, *F. E. Sugg and C. C. Kammerer*, No. 8, p. 157

Surface and Near-Surface Stress in Aluminum Alloys Using Ultrasonic Raleigh Waves—Measurement of, *B. G. Martin*, No. 11, p. 229

Survey of Test Methods for Residual Life of Charcoal Filters, *James A. Baker and Edward J. Poziomek*, No. 5, p. 35A

Temperature Monitoring of Train Wheels and Jet Engine Rotors—Infrared Pyrometer for, *Pieter R. Wiederhold*, No. 11, p. 229

Thermal Stress Studies Using Optical Holographic Interferometry, *W. J. Harris and D. C. Woods*, No. 3, p. 50

Thickness Measurement, Ultrasonic, of Multilayer Transparent Plastic Windows, *Donald C. Hagemaier*, No. 6, p. 122

Thickness of Thin Layers—Ultrasonic Signal-Processing Concepts for Measuring, *Joseph L. Rose and Paul A. Meyer*, No. 12, p. 249

Thickness, Wall, Measurement, Utlrasonic, A New Method of: The Predef System, *W. Kaule, K. E. Wetzlar and W. T Owens*, No. 5, p. 103

Thin Layers—Ultrasonic Signal-Processing Concepts for Measuring the Thickness of, *Joseph L. Rose and Paul A. Meyer*, No. 12, p. 249

Thin Tubes—Automatic Nondestructive Testing System for, *G. Boulanger, J. P. Dufayet, A. Samoel, B. Spriet and A. Stossel,* No. 1, p. 18

Time Domain Analysis of Ultrasonic Pulse Diffraction for Defect Characterization, *G. S. Mills,* No. 12, p. 256

Tire Testing, Nondestructive—Recent Developments in the Use of Infrared for, *Steven Bobo,* No. 7, p. 147

Today's Challenge to Energy Engineers, *Dixy Lee Ray,* No. 5, p. 19A

Train Wheels and Jet Engine Rotors—Infrared Pyrometer for Temperature Monitoring of, *Pieter R. Wiederhold,* No. 11, p. 239

Transmission Structures, Steel Tubular—Ultrasonic Examination of Welds in, *Frank Herring, Riley Looper and Jerome Nelson,* No. 4, p. 75

Transmitted and Scattered X Rays for Aluminum and Steel, 50 to 300 kVp, *E. Dale Trout, John P. Kelley and Vaughn L. Larson,* No. 8, p. 163

Tubular Transmission Structures, Steel—Ultrasonic Examination of Welds in, *Frank Herring, Riley Looper and Jerome Nelson,* No. 4, p. 75

Turbine Engines, Aero Gas—High Energy Radiography: A New Technique in the Development of Efficiency and Integrity in. *D. A. W. Pullen,* No. 2, p. 25

Ultrahigh Pressures and the ASME Code, *Alfred R. Bobrowsky,* No. 7, p. 24A

Ultrasonic Angle Beam Analysis—New Analytical Concepts in, *Joseph L. Rose and Edward W. Deska,* No. 10, p. 223

Ultrasonic Attenuation Measurements of Concrete—Influence of the Radiation Pattern on, *Harold Rothig,* No. 4, p. 69

Ultrasonic, Computerized, Inspection of Reactor Vessels, *C. G. Honeycutt, F. J. Sattler, L. T. Williams and E. G. Griffith,* No. 9, p. 181

Ultrasonic Determination of the Adherence in Porcelain Enamel, *D. E. Scherperell, N. F. Fiore and R. A. Kettler,* No. 11, p. 235

Ultrasonic Device to Measure High-Strength Bolt Preloading, *Howard J. McFaul,* No. 11, p. 244

Ultrasonic Examination of Welds in Steel Tubular Transmission Structures, *Frank Herring, Riley Looper and Jerome Nelson,* No. 4, p. 75

Ultrasonic Inspection of Cast HK-40 Tubes for Creep Fissures, *Raymond R. Dalton,* No. 12, p. 264

Ultrasonic Inspection of Pickle Line Welds, *F. J. Barchfeld, S. A. Brosky and C. N. Lee,* No. 6, p. 117

Utlrasonic Pulse Diffraction, Time Domain Analysis of, for Defect Characterization, *G. S. Mills,* No. 12, p. 256

Ultrasonic Raleigh Waves—Measurement of Surface and Near-Surface Stress in Aluminum Alloys Using, *B. G. Martin,* No. 11, p. 229

Ultrasonic Signal-Processing Concepts for Measuring the Thickness of Thin Layers, *Joseph L. Rose and Paul A. Meyer,* No. 12, p. 249

Ultrasonic Structural Surveillance, On-Board, *F. E. Sugg and C. C. Kammerer,* No. 8, p. 157

Ultrasonic Test System for Longitudinal Fusion Welds in Pipe, *W. C. Harmon and T. W. Judd,* No. 3, p. 45

Ultrasonic Thickness Measurement of Multilayer Transparent Plastic Windows, *Donald C. Hagemaier,* No. 6, p. 122

Ultrasonic Wall Thickness Measurement, A New Method of: The Predef System, *W. Kaule, K. E. Wetzlar and W. T. Owens,* No. 5, p. 103

Wall Thickness Measurement, Ultrasonic, A New Method of: The Predef System, *W. Kaule, K. E. Wetzlar and W. T. Owens,* No. 5, p. 103

Welds in Steel Tubular Transmission Structures—Ultrasonic Examination of, *Frank Herring, Riley Looper and Jerome Nelson,* No. 4, p. 75

Welds, Longitudinal Fusion, in Pipe—Ultrasonic Test System for, *W. C. Harmon and T. W. Judd,* No. 3, p. 45

Welds, Pickle Line, Ultrasonic Inspection of, *F. J. Barchfeld, S. A. Brosky and C. N. Lee,* No. 6, p. 117

Wire Rope, Acoustic Emission Testing of, *D. O. Harris and H. L. Dunegan,* No. 1, p. 1

X Rays, Transmitted and Scattered, for Aluminum and Steel, 50 to 300 kVp, *E. Dale Trout, John P. Kelley and Vaughn L. Larson,* No. 8, p. 163

Author Index for Volume XXXII of Materials Evaluation

Alburger, J. R., Signal-to-Noise Ratio in the Inspection Penetrant Process, No. 9, p. 193

Alers, G. A. (see Graham, L. J.), No. 2, p. 31

——, (see Thompson, D. O.), No. 4 p. 81

Baker, James A., and Edward J. Poziomek, Survey of Test Methods for Residual Life of Charcoal Filters, No. 5, p. 35A

Barchfeld, F. J., S. A. Brosky and C. N. Lee, Ultrasonic Inspection of Pickle Line Welds, No. 6, p. 117

Beeler, G. N. (see Dini, J. W.), No. 6, p. 124

Berger, Harold (see Renken, C. J.), No. 6, p. 109

Blue, P. L., Nondestructive Emissive Coating Measurement Method, No. 5, p. 100

Bobo, Steven, Recent Developments in the Use of Infrared for Nondestructive Tire Testing, No. 7, p. 147

Bobrowsky, Alfred R., Ultrahigh Pressures and the ASME Code, No. 7, p. 24A

Boone, Donald H. (see Kriege, Owen H.), No. 2, p. 38

Boulanger, G., J. P. Dufayet, A. Samoel, B. Spriet and A. Stossel, Automatic Nondestructive Testing System for Thin Tubes, No. 1, p. 18

Brosky, S. A. (see Barchfeld, F. J.), No. 6, p. 117

Buhrow R. P., Computer Determines NDT Monitoring Intervals for Corrosive Elements, No. 6, p. 19A

Castner, W. L. (see Rummel, Ward D.), No. 10, p. 205

Cook, J. F., R. J. Lord and R. J. Roehrs, Quantitative Evaluation of the Effect of Mechanical Processing on the Effectiveness of Penetrant Inspection. No. 7, p. 133

Dalton, Raymond R., Ultrasonic Inspection of Cast HK-40 Tubes for Creep Fissures, No. 12, p. 264

Deska, Edward W. (see Rose, Joseph L.), No. 10, p. 223

Dick, Paul, Nondestructive Testing of Space Systems During the Past Decade and One-Half, No. 12, p. 23A

Dini, J. W., H. R. Johnson and G. N. Beeler, Nondestructive Testing of a Plated Aluminum Stainless Steel Joint, No. 6, p. 124

Dodd, C. V., J. H. Smith and W. A. Simpson, Eddy Current Evaluation of Nuclear Control Rods, No. 5, p. 93

Dragonette, Louis R., and Werner G. Neubauer, Detection of Flaws on Plates by Schlieren Visualization, No. 10, p. 218

Dufayet, J. P. (see Boulanger, G.), No. 1, p. 18

Dunegan, H. L. (see Harris, D. O.), No. 1, p. 1

Fiore, N. F. (see Scherperell, D. E.), No. 11, p. 235

Fricker, Richard T., Field Application of Dual Sensitive Penetrants, No. 9, p. 201

——, Aircraft Overhaul Cleaning Requirements and Their Effect on the Fluorescent Penetrant Inspection Process, No. 12, p. 262

Graham, L. J., and G. A. Alers, Spectrum Analysis of Acoustic Emission in A533-B Steel, No. 2, p. 31

Griffith, E. G. (see Honeycutt, C. G.), No. 9, p. 181

Harmon, W. C., and T. W. Judd, Ultrasonic Test System for Longitudinal Fusion Welds in Pipe, No. 3, p. 45

Harris, D. O., and H. L. Dunegan, Acoustic Emission Testing of Wire Rope, No. 1, p. 1

Harris, W. J., and D. C. Woods, Thermal Stress Studies Using Optical Holographic Interferometry, No. 3, p. 50

Hartman, William F., Establishing Acoustic Emission Monitoring for Safety and Reliability in Energy Production, No. 8, p. 20A

——, Acoustic Emission Detection of Flaws in Butt-Welded Plates, No. 12, p. 259

Hasenkamp, F. A., Radiographic Laminography, No. 8, p. 169

Herring, Frank, Riley Looper and Jerome Nelson, Ultrasonic Examination of Welds in Steel Tubular Transmission Structures, No. 4, p. 75

Honeycutt, C. G., F. J. Sattler, L. T. Williams and E. G. Griffith, Computerized Ultrasonic Inspection of Reactor Vessels, No. 9, p. 181

Jackson, James F., An Investigation of Probe-Type Eddy Current Inspection of Hot Steel Rounds, No. 8, p. 175

Johnson, H. R. (see Dini, J. W.), No. 6, p. 124

Judd, T. W. (see Harmon, W. C.), No. 3, p. 45

Kammerer, C. C. (see Sugg, F. E.), No. 8, p. 157

Kaule, W., K. E. Wetzlar and W. T. Owens, A New Method of Ultrasonic Wall Thickness Measurement: The Predef System, No. 5, p. 103

Kelley, John P. (see Trout, E. Dale), No. 8, p. 163

Kettler, R. A. (see Scherperell, D. E.), No. 11, p. 235

Kriege, Owen, and Donald H. Boone, Nondestructive Characterization of Diffusion Aluminide Coatings, No. 2, p. 38

Kuttemperoor, Vincent Z., Photon Activation of Materials Subjected to Betatron Radiography, No. 7, p. 153

Lang, D. J., Inspection of Aircraft Surfaces Using Two Single-Coil Eddy Current Techniques, No. 4, p. 87

Larson, Vaughn L. (see Trout, E. Dale), No. 8, p. 163

Lassahn, F. D., A Comparison of Three Types of Eddy Current Systems, No. 9, p. 187

Lee, C. N. (see Barchfeld, F. J.), No. 6, p. 117

Lomerson, E. O., and D. N. Tousignant, Performance Characteristics of Radiographic Systems—Film and Solution, No. 10, p. 213

Loofbourrow, Alan G., New Dimensions in Engineering, No. 12, p. 17A

Looper, Riley (see Herring, Frank), No. 4, p. 75

Lord, R. J. (see Cook, J. F.), No. 7, p. 133

Martin, B. G., The Measurement of Surface and Near-Surface Stress in Aluminum Alloys Using Ultrasonic Raleigh Waves, No. 11, p. 229

McFaul, Howard J., An Ultrasonic Device to Measure High-Strength Bolt Preloading, No. 11, p. 244

Mielnik, Edward M., Interrelationship of Quality Control, Reliability and Nondestructive Testing, No. 4, p. 19A

Mills, G. S., Time Domain Analysis of Ultrasonic Pulse Diffraction for Defect Characterization, No. 12, p. 256

Nelson, Jerome (see Herring, Frank), No. 4, p. 75

Neubauer, Werner G. (see Tousignant, D. N.), No. 10, p. 213

Owens, W. T. (see Kaule, W.), No. 5, p. 103

Poziomek, Edward J., (see Baker, James A.), No. 5, p. 35A

Pryor, T. R., Diffractographic Applications to Nondestructive Testing, No. 7, p. 142

Pullen, D. A. W., High Energy Radiography: A New Technique in the Development of Efficiency and Integrity in Aero Gas Turbine Engines, No. 2, p. 25

Rathke, Richard A. (see Rummel, Ward D.), No. 10, p. 205

Ray, Dixy Lee, Today's Challenge to Energy Engineers, No. 5, p. 19A

Reimann, Karl J. (see Renken, C. J.), No. 6, p. 109

Renken, C. J., Karl J. Reimann and Harold Berger, Nondestructive Measurements of Cold Work in Type 316 Stainless Steel, No. 6, p. 109

Roehrs, R. J. (see Cook, J. F.), No. 7, p. 133

Rose, Joseph L., and Edward W. Deska, New Analytical Concepts in Ultrasonic Angle Beam Analysis, No. 10, p. 223

——, and Paul A. Meyer, Ultrasonic Signal-Processing Concepts for Measuring the Thickness of Thin Layers, No. 12, p. 249

Rothig, Harold, Influence of the Radiation Pattern on Ultrasonic Attenuation Measurements of Concrete, No. 4, p. 69

Rummel, Ward D., Paul H. Todd, Jr., Richard A. Rathke and W. L. Castner, The Detection of Fatigue Cracks by Nondestructive Test Methods, No. 10, p. 205

Samoel, A. (see Boulanger, G.), No. 1, p. 18

Sattler, F. J. (see Honeycutt, C. G.), No. 9, p. 181

Scherperell, D. E., N. F. Fiore and R. A. Kettler, Ultrasonic Determination of the Adherence in Porcelain Enamel, No. 11, p. 235

Sherwin, A. G., Establishing Liquid Penetrant Dwell Modes, No. 3, p. 63

Simpson, W. A. (see Dodd, C. V.), No. 5, p. 93

Smith, J. H. (see Dodd, C. V.), No. 5, p. 93

Spriet, B. (see Boulanger, G.), No. 1, p. 18

Stossel, A. (see Boulanger, G.), No. 1, p. 18

Sugg, F. E., and C. C. Kammerer, On-Board Ultrasonic Structural Surveillance, No. 8, p. 157

Thaler, Lawrence A., Measurement of Capsule Heat Transfer Gaps Using Neutron Radiography, No. 3, p. 57

Thompson, D. O., R. B. Thompson and G. A. Alers, Nondestructive Measurement of Adhesive Bond Strength in Honeycomb Panels, No. 4, p. 81

Thompson, R. B. (see Thompson, D. O.), No. 4, p. 81

Todd, Paul H., Jr. (see Rummel, Ward D.), No. 10, p. 205

Tousignant, D. N. (see Lomerson, E. O.), No. 10, p. 213

Trout, E. Dale, John P. Kelley and Vaughn L. Larson, Transmitted and Scattered X Rays for Aluminum and Steel, 50 to 300 kVp, No. 8, p. 163

Turner, Ralph E., ASNT—What It Is—How It Grew—What It Does, No. 11, p. 15A

Vary, Alex, and Kenneth J. Bowles, Application of Electronic Image Analyzer to Dimensional Measurements from Neutron Radiographs, No. 1, p. 7

Wetzlar, K. E. (see Kaule, W.), No. 5, p. 103

Wiederhold, Pieter R., Infrared Pyrometer for Temperature Monitoring of Train Wheels and Jet Engine Rotors, No. 11, p. 239

Williams, L. T. (see Honeycutt, C. G.), No. 9, p. 181

Woods, D. C. (see Harris, W. J.), No. 3, p. 50,

New Products and Services



New 'Thumper' offered by Associated Research, Inc.

For Cable Fault Locating

A compact cable fault-locating instrument designed for portability is now available from Associated Research, Inc., Chicago designer and manufacturer of high-voltage testing equipment.

The dc high-voltage power supply and capacitor discharge (thumper) unit, designated the Model 8605 DC Hypot® Thumper, is contained in two aluminum carrying-case cabinets which easily fit into a car trunk.

The unit permits "thumping" of shielded cables used for electrical distribution in plants and other installations having extensive power distribution grids.

Powered from an 115 V, 50/60 Hz source, the Model 8605 employs a 12.5 and 25 kV dc power supply rated at 25 mA for rapid charging of the 0.5 microfarad capacitor. The capacitor provides 150 joules (watt-seconds) in high setting or 38 joules in low setting, which is discharged into the cable under test through an adjustable spark gap.

Flash-over will occur at any fault on the cable, creating an audible "pop" at approximately one second intervals. This popping is easily heard when patrolling a long length of cable, thus pinpointing the location of